



FOR THE PERFECT FINISH

MATERIAL SAFETY DATA SHEET

EEZEE WOOD – ALL COLOURS

1 IDENTIFICATION OF THE PRODUCT & SUPPLIER

Product Name : eeZee Wood Filler (all colours)
Recommended Use: Wood filling & rectification
Supplier: Paint Aids Limited
Address: 64 Pavilion Drive, Auckland Airport, Auckland City
P O Box 73161, Auckland Airport, Auckland City 2150
Phone: + 649 2575151
Fax: + 649 2575152
Emergency Telephone: National Poisons Centre New Zealand 0800 764766

2 HAZARDS IDENTIFICATION

Classifications: non hazardous

3 COMPOSITION/INFORMATION ON INGREDIENTS

Components:	CAS No:	Proportion:	Risk Phrases
Calcium Carbonate:	471-34-1	30% - 40%	
Sodium Borosilicate:	50815-87-7	1% - 10%	
Alumina silicate:	68131-74-8	20% - 30%	
Water	7732-18-5	10% - 20%	
Synthetic Polymers:	----	25% - 30%	
Additives:	----	to 100%	

(Determined not to be hazardous)

4 FIRST AID MEASURES

Inhalation: Remove from area of exposure. Seek medical advice if symptoms persist.

Skin Contact : If skin or hair contact occurs, remove contaminated clothing immediately and wash skin & hair thoroughly with running water. If irritation persists seek medical advice.

Eye Contact : If eyes are contaminated, hold eyelids open & flush eyes continuously with running water for at least 15 minutes. **Seek immediate medical advice.**

Ingestion: Rinse mouth with water. Give glass of water. **Seek medical advice**

Advice to Physician Treat symptomatically

5 FIRE FIGHTING MEASURES

Specific Hazards: Non-combustible material.

Fire-Fighting Advice: If safe, remove containers from path of fire.
Material; decomposes on heating giving off toxic fumes.
Fire fighters should wear self-contained breathing apparatus and suitable protective clothing if at risk of exposure to material's decomposition products.

Extinguishing Media : Use water fog or fine water spray, foam or dry agent (carbon dioxide or dry chemical powder).



FOR THE PERFECT FINISH

MATERIAL SAFETY DATA SHEET EEZEE WOOD – ALL COLOURS

6 ACCIDENTAL RELEASE MEASURES

- Small Spills:** Wear protective equipment to stop eye and skin contact.
Remove ignition sources
Use dry cleanup procedures and avoid generating dust
Place in suitable container for disposal
- Large Spills:** Material will be slippery when wet
Remove all unprotected personnel from area and move upwind.
Increase ventilation.
Wear protective equipment to prevent eye, skin and breathing in of vapours. Contain spill area and prevent run off into drains and waterways. Use inert absorbent material.
Collect and seal in properly labeled containers or drums for disposal. Wash contaminated area with excess water.
If contamination of sewers or waterways occurs advise local emergency services and authorities.

7 HANDLING & STORAGE

- Handling Advise:** Avoid skin and eye contact and breathing in vapours.
Use in well ventilated area
When handling do not eat, drink or smoke
Keep containers closed when not in use
Always wash hands with soap and water after use
Use good occupational work practice
- Storage Advice:** Store away from sources of heat or ignition. Store away from foodstuffs. Store away from acids and oxidizing agents. Store in a cool, dry, well ventilated area and out of direct sunlight. Keep containers closed when not in use and protect from freezing.

8 EXPOSURE CONTROL / PERSONAL PROTECTION

- Occupational Exposure Limits:**
No value assigned for this material by NZ Occupational Safety and Health Service (OSH).
- Engineering Control Measures:**
Ensure ventilation is adequate and that air concentrations are controlled below quoted exposure standards. Vapours are heavier than air – prevent concentration in hollows or slumps. Keep containers closed when not in use.
- Personal Protective Equipment:**
Use with adequate ventilation. Rubber gloves, eye protection and face masks are recommended when using this product. Wash hands after use, and air all clothing when finished.

9 PHYSICAL & CHEMICAL PROPERTIES

- Physical State:** Thick creamy paste
Colour: Various
Odour: Mild, similar to water based paint.
Solubility: Dispersible in water.
Specific Gravity: 1.05 – 1.10 kg/l
Relative Vapour Density: Not determined
Vapour Pressure: 3.2 kpa
Flash Point (°C) : None
% Volatile by Weight: <25
pH: 7.5 – 8.5



FOR THE PERFECT FINISH

MATERIAL SAFETY DATA SHEET EEZEE WOOD – ALL COLOURS

10 STABILITY & ACTIVITY

Stability:	Stable under normal conditions
Conditions to avoid:	Protect from frost.
Incompatible Materials:	Acids and Oxidising agents.
Hazardous de-Composition Products:	Oxides of carbon.
Hazardous Reactions:	Reacts with acids releasing carbon dioxide. Hazardous polymerisation will not occur.

11 TOXICOLOGICAL INFORMATION

No Adverse health effects are expected if material is handled in accordance with this MSDS, symptoms that may arise if mishandled are:

Ingestion:	None, however large amounts may result in nausea, vomiting.
Eye Contact:	May be an irritant.
Skin Contact:	Repeated contact may lead to irritation.
Long Term Effects:	No information available.
Toxicological Data:	No LD50 data is available for this product.

12 HAZARDS IDENTIFICATION

Avoid contaminating sewers or drains

13 DISPOSAL CONSIDERATIONS

Refer to Waste Management Authorities. Dispose of material through a licensed waste contractor.

14 TRANSPORT INFORMATION

Road and Rail Transport:	Not classified as a dangerous good under NZS 5433:2007
Marine Transport:	Not Classified as Dangerous Goods by the criteria of the IMDG code.
Air Transport:	Not Classified as Dangerous goods by the criteria of IATA Dangerous Goods Regulations.

15 REGULATORY INFORMATION

Classification:	Not Classified as hazardous according to criteria in the HS (Minimum Degree of Hazard) Regulations 2001.
------------------------	--



FOR THE PERFECT FINISH

MATERIAL SAFETY DATA SHEET EEZEE WOOD – ALL COLOURS

16 OTHER INFORMATION

Prepared By:	Paint Aids Limited
Date of Preparation:	February 2015
Version:	4
Reason for Change:	Up-date.
Literature Sources:	SDS for individual components.

The information in this SDS is based on data considered to be accurate and reliable to the best of our knowledge as of the date compiled. No warranty is expressed or implied regarding the accuracy of this data. Paint Aids Ltd assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by this material. It is the user's responsibility to satisfy themselves as the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.

Safety Data Sheets are updated frequently. Please ensure you have a current Version